VITERO®
TILES

Refresh Zindagi

800X800MM

DOUBLE CHARGE


VITRIFIED TILES



THE
ART OF
CERAMICS

THE
SCIENCE
OF
STRENGTH





STRONG

THICK DESIGN LAYER

Our Double Charge Tiles are engineered for performance and elegance. With an upper layer of 4mm thickness, these tiles are designed to withstand heavy foot traffic while retaining their polished finish for decades. Perfect for both residential and commercial spaces, they combine durability, low maintenance, and timeless style — making them a trusted choice for modern flooring solutions.



Available Surface & Size

Tiles Features

- Resistance to Deep Abrasion
- Stain Resistance
- Resists Fire
- High Flexural Strength
- Resistance to Acids and Bases
- Eco-Friendly

Application Area's

- Reception
- Kitchen
- Airport
- Offices
- Living Room
- Restaurants & Hotel


1 HIGH GLOSSY

SURFACE

1 800x800mm
80x80cm
32"x32"
2.5'x2.5'

SIZE

Note:
All dimensions are measured in millimetres (mm), and coverage and working sizes are calculated accordingly. Any other units shown are for reference only.



FULLBODY TILES

Fullbody Tiles ensure uniform color, superior strength, and long-lasting elegance for high-traffic spaces.

SMARTBODY TILES

Smartbody Tiles offer smart strength and lasting surface beauty for demanding spaces.

DOUBLE CHARGE TILES

Double Charge Tiles offer dual-layer durability and lasting beauty for high-traffic spaces.

GLAZED VITRIFIED TILES

GVT Tiles offer glazed elegance, strength, and durability for modern living spaces.

INDEX

TAP TO **INTERACT**

DOUBLE CHARGE
VITRIFIED TILES

NEW ARRIVAL | 800X 800MM

CARRARA WHITE | PHANTOM WHITE | PHANTOM CREMA | PERLATO WHITE | PERLATO CREMA

DOUBLE CHARGE
VITRIFIED TILES

800X 800MM



FOGG WHITE | JASPER WHITE | JASPER SAND | JASPER LEMON | SNOW WHITE | MIRROR WHITE | MOON MARBLE | PRIDE WHITE | PRIDE CREMA

AJIO WHITE | AJIO CREMA | DRAGO WHITE | DRAGO CREMA

NEW ARRIVAL

DOUBLE CHARGE

800x 800mm

Step into the latest 800×800 mm New Arrival Tiles — fresh designs, strong performance, and modern elegance.



Size: **800x800mm**

Finish: High Glossy

Carrara White

CLICK TO
360 VIEW



BACK TO
INDEX

NEW ARRIVAL

Size: **800x800mm**

Finish: High Glossy

Phantom White

CLICK TO
360 VIEW

Phantom Crema

CLICK TO
360 VIEW

BACK TO
INDEX

NEW ARRIVAL



Size: **800x800mm**

Finish: High Glossy

Perlato White

CLICK TO
360 VIEW

Perlato Crema

CLICK TO
360 VIEW

BACK TO
INDEX

NEW ARRIVAL



DOUBLE CHARGE

800x 800mm

Experience 800x800mm Double Charge Tiles crafted for durability, refined elegance, lasting beauty, and premium interior appeal.



Size: **800x800mm**

Finish: High Glossy

Fogg White

CLICK TO
360 VIEW



BACK TO
INDEX

Size: **800x800mm**

Finish: High Glossy

Jasper White

CLICK TO
360 VIEW

Jasper Sand

CLICK TO
360 VIEW

BACK TO
INDEX



Size: **800x800mm**

Finish: High Glossy

Jasper Lemon

CLICK TO
360 VIEW




BACK TO
INDEX

Size: **800x800mm**

Finish: High Glossy

Snow White



CLICK TO
360 VIEW



BACK TO
INDEX

Size: **800x800mm**

Finish: High Glossy

Mirror White

CLICK TO
360 VIEW




BACK TO
INDEX

Size: **800x800mm**

Finish: High Glossy

Moon Marble



CLICK TO
360 VIEW



BACK TO
INDEX

Size: **800x800mm**

Finish: High Glossy

Pride White



CLICK TO
360 VIEW

Pride Crema



CLICK TO
360 VIEW

BACK TO
INDEX



Size: **800x800mm**

Finish: High Glossy

Ajio White

CLICK TO
360 VIEW

Ajio Crema

CLICK TO
360 VIEW

BACK TO
INDEX



Size: **800x800mm**

Finish: High Glossy

Drago White

CLICK TO
360 VIEW

Drago Crema

CLICK TO
360 VIEW


BACK TO
INDEX



TECHNICAL SPECIFICATION

SR. NO	CHARACTERISTICS	TEST METHODS	VITRIFIED TILES 15622/2013 Group Bia	VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS-13630-1	+/-0.1%	0.1%
2	Deviation in Thickness	IS-13630-1	+/-5%	3.5%
3	Straightness of Side	IS-13630-1	+/-0.1%	0.1%
4	Rectangularity	IS-13630-1	+/-0.1%	0.1%
5	Surface Flatness	IS-13630-1	+/-0.5%	0.2%
6	Surface Quality	IS-13630-1	95% of the Tiles Free From Visible Defect	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS-13630-2	<0.08%	0.05%
2	Moduls of Rapture	IS-13630-6	35 N/MM^2	40 N/MM^2
3	Flexure Breaking Strength	IS-13630-6	>1300 N	>1700 N
4	Moisture Expansion	IS-13630-6	0.02%	Nil
5	Scratch Hardness (Moh's)	IS-13630-13	Min-5	5
6	Resistance of Surface Abrasion	IS-13630-11	Max. 140 Mm^3	Max. 140 Mm^3
7	Thermal Expansion	IS-13630-4	$6 \times 10^{-6} K^{-1}$	$6 \times 10^{-6} K^{-1}$
8	Thermal Sock Resistance	IS-13630-5	Min 10 Cycle	Min 10 Cycle
9	Frost Resistance	IS-13630-10	No Damage	No Damage
10	Bulk Density	IS-13630-2	>2.2gmvcc	>2.2gmvcc
11	Glossiness	Glossmeter	As Per Mfg. Norms.	>85%
12	Impact Resistance	IS-13630-14	0.55 MIN	0.30 MIN
C	CHEMICAL PROPERTIES			
1	Resistance of Staining	IS-13630-8	Class I Min.	Class II
2	Household Chemicals	IS-13630-8	Class AA Min.	Class AA
3	Acid Resistance	IS-13630-8	Resistance	Resistance

800x
800mm



PACKING DETAILS

SIZE	THICKNESS (APPROX.)	NO OF TILES / BOX	WEIGHT / BOX	SQ. MTR. / BOX
800x800mm	9 mm	3 pcs	36.5 kg	1.92 Sq.Mtr

THANK YOU