




Refresh Zindagi

FULL BODY I DOUBLE CHARGE I SOLUBLE SALT 600 x 600 | 600 x 1200 | 800 x 800 mm





APARNA ENTERPRISES LIMITED

8-2-293 82/A, 1214, Road No. 60, Jubilee Hills, Hyderabad - 500 033, Telangana, India.

Mobile: +91 91211 65404 | Toll Free: 1800 121 6229 Email: info@viterotiles.com | www.viterotiles.com







About Aparna Enterprises Ltd.

Aparna Enterprises is a leading building materials company and a group company of The Aparna Group. Founded in 1990, Aparna Enterprises is engaged in manufacturing and trading of a wide range of building material products. The company has a diversified product portfolio which includes Ready Mix Concrete, uPVC profiles, uPVC windows and doors, Floor & Wall tiles, Aluminium window & door systems, Exterior facades, Luxury bath spaces and elegant kitchens and Aggregates. Most of these products are available pan India through an extensive dealer network which constitutes more than 350 vendor partners for different brands.

AEL is associated with many leading brands in the construction sector and several landmark projects for over 30 years. The brand has been associated with many government organizations like DRDO, South Central Railway, PWD, CPWD, MES, AAI to name a few.


AEL is globally renowned for setting benchmarks in technology, research, design, and installation. Today, the company is acknowledged as a leader in providing specifiers, contractors and stakeholders the required support with a range of high-quality products manufactured to the highest standards.

About Vitero Tiles

Vitero is one of the leading tile brands in the country that offers wide range of Wall & Floor tiles. Powered with latest technology from SACMI, KEDA and APPEL, the tiles are manufactured at the most sophisticated 1 Million sq ft manufacturing facility in Peddapuram near Kakinada, Andhra Pradesh. The manufacturing facility produces Double Charged Tiles, Soluble salt tiles, Glazed Vitrified tiles and Full Body Vitrified tiles.

The production facility produces 30,000 sq mt. high quality tiles every day. Vitero tiles manufacturing process uses top quality clay imported from Ukraine, Iran, Malaysia, Turkey, along with Feldspar and Clay processed in its own mines. These mines produce Feldspar and Clay of uniform quality & brighter finish, which makes the tile surface look free of micro holes. Use of Nanotechnology makes Vitero Tiles very glossy and stain resistant and provide durable tiles that look new for years.

Vitero tiles material testing lab uses sophisticated machinery for testing raw materials as well as finished products. The lab uses an XRF Machine, Dilatometer, MOR machine, Crazing Resistance Machine, Surface abrasion Machine, Deep abrasion Machine etc. Vitero tiles manufacturing process follows ISO and BIS standards but maintains the value of end product better than both the standards.










DOUBLE CHARGED

03-04 600x600mm. 05-06 800x800mm. 600x1200mm 07-08



FULL BODY VITRIFIED





SOLUBLE SALT

600x600mm...

31-32

THE EVERGREEN COLLECTION, a premium range of tiles crafted to bring harmony, style, and long-lasting performance to your spaces. Designed for both modern and timeless aesthetics, this collection offers a curated selection of textures, colors, and finishes that reflect true craftsmanship.

Application Area

THE EVERGREEN COLLECTION surfaces are architectural gems that can be used across a spectrum of environments. These tiles can be used for backsplashes, highlights, bathrooms, furniture, exteriors, flooring, wall cladding, and much more – imagination is the key.



Residential Spaces



Commercial Spaces



Malls & Restaurants



Outdoor



Airports



Public Spaces



Schools



Bathrooms



Kitchens



Hospitals



Sport Spaces

Distinct Tile Features



Water Resistance



Extremely Durable



Scratch Resistant



Frost Resistant



Stain Resistant



Easy to Clean



Fire Resistant



Luxurious Look



Hygienic Surface



"Each Success Adds Another Layer OF Brilliance To The High Gloss Surface Of Your Life

DOUBLE CHARGED

VITRIFIED TILES

600x600mm | 800x800mm 600x1200mm






V-AZA SERIES







V-PRIME PLUS



V-AZA GREY


V-MERCURY SERIES



V-MERCURY PINK



V-MERCURY BISCUIT



V-MERCURY ASH








V-TOPAZ SERIES







V-TOPAZ WHITE

V-TOPAZ GOLD

V-TOPAZ BROWN



VITERO®


V-APOLLO SERIES






V-APOLLO BEIGE

V-APOLLO PINK





V-ROMAN SERIES





V-ROMAN WHITE

V-ROMAN GOLD



V-ROMAN BISCUIT





V-DESERT SERIES





V-SNOW WHITE

V-DESERT WHITE

V-DESERT ASH





V-PHANTOM SERIES







V-PHANTOM WHITE

V-PHANTOM CREMA 08

V-PHANTOM ASH



"In A World Of Constant Shine, Be The Calming Influence OF A Matt Surface.

FULL BODY

VITRIFIED TILES

600x600mm | 600x1200mm








V-ROCK WHITE SATIN SURFACE



V-DYNAMIC WHITE POLISHED SURFACE



V-ROCK CREMA SATIN SURFACE



V-DYNAMIC CREMA POLISHED SURFACE




V-ROCK BROWN SATIN SURFACE



V-DYNAMIC BROWN POLISHED SURFACE

PREVIEW SHOWN V-ROCK BROWN & V-ROCK CREMA

SIZE 600 x 600 mm






PREVIEW SHOWN V-ROCK VERDE

SIZE 600 x 600 mm





V-ROCK DOVE SATIN SURFACE



V-DYNAMIC DOVE POLISHED SURFACE



V-ROCK SANDY SATIN SURFACE



V-DYNAMIC SANDY POLISHED SURFACE



V-ROCK VERDE SATIN SURFACE



V-DYNAMIC VERDE POLISHED SURFACE



SIZE 600 x 600 mm





V-DYNAMIC SUPER WHITE
POLISHED SURFACE





V-ROYAL KOTA SATIN SURFACE

V-DYNAMIC KOTA POLISHED SURFACE

PREVIEW SHOWN V-ROYAL BRONZE

SIZE

600 x 600 mm

FINISH SATIN



V-ROYAL BRONZE SATIN SURFACE

V-ARTSTONE SERIES



V-ARTSTONE BEIGE RUSTIC SURFACE



V-ARTSTONE BLACK RUSTIC SURFACE



V-ARTSTONE BROWN RUSTIC SURFACE



V-ARTSTONE CREAM RUSTIC SURFACE



V-ARTSTONE GREY RUSTIC SURFACE



V-ARTSTONE IVORY RUSTIC SURFACE



V-ARTSTONE KOTA RUSTIC SURFACE



17

V-ARTSTONE OLIVE RUSTIC SURFACE

V-ROCK SERIES




V-ROCK BROWN MATT SURFACE




V-ROCK CREMA MATT SURFACE




V-ROCK WHITE MATT SURFACE



V-ROCK SILVER MATT SURFACE









V-ROCK WHITE SATIN SURFACE



V-DYNAMIC WHITE POLISHED SURFACE



V-ROCK QUARTZ SATIN SURFACE



V-DYNAMIC QUARTZ POLISHED SURFACE



V-MAJESTIC QUARTZ RUSTIC SURFACE


PREVIEW SHOWN
V-ROCK WHITE
& V-DYNAMIC WHITE

SIZE

600 x 1200 mm

FINISH

SATIN & POLISHED





PREVIEW SHOWN
V-ROCK QUARTZ
& V-DYNAMIC QUARTZ
& V-MAJESTIC QUARTZ

SIZE 600 x 1200 mm


FINISH
SATIN & POLISHED
& RUSTIC







V-ROCK CREAMA SATIN SURFACE



V-ROCK ALMOND SATIN SURFACE



V-DYNAMIC CREAMA POLISHED SURFACE



V-DYNAMIC ALMOND POLISHED SURFACE

23

PREVIEW SHOWN V-ROCK ALMOND & V-ROCK CREAMA

SIZE 600 x 1200 mm





THICKNESS | SIZE 9 mm | 600 x 1200 mm



V-ROYAL SUPER WHITE SATIN SURFACE

V-DYNAMIC SUPER WHITE POLISHED SURFACE







V-DYNAMIC KOTA POLISHED SURFACE



V-ROYAL CREAM SATIN SURFACE V-LUMEN CREAM POLISHED SURFACE



PREVIEW SHOWN V-ROYAL CREAM

SIZE 600 x 1200 mm





"Choose The

Innovative Surfaces With Unique Design For Your space.



SOLUBLE SALT


VITRIFIED TILES

600x600mm











V-NATURA GLOSSY SURFACE

















TECHNICAL SPECIFICATION - FULL BODY I DOUBLE CHARGE I SOLUBLE SALT

SR No.	CHARACTERISTICS	As per IS 15622:2017 Bla	OUR VALUE	METHOD OF TESTING
1	Deviation in Length and Width	± 0.1%	± 0.1%	IS 13630-1
2	Deviation in Thickness	± 5.0%	± 3.0%	IS 13630-1
3	Straightness of Sides	± 0.1%	± 0.1%	IS 13630-1
4	Rectangularity	± 0.1%	± 0.1%	IS 13630-1
5	Surface Flatness	± 0.5%	± 0.1%	IS 13630-1
6	Surface Quality	95% of the tiles shall be free from visible defect.	95% of the tiles shall be free from visible defect.	IS 13630-1
7	Water Absorption	Avg≤0.08%ind 0.1% max	0.05%	IS 13630-2
8	Mohs Hardness	Min 5	6	IS 13630-13
9	Modules of Rupture	≥35 N/mm ²	> 40 N/mm ²	IS 13630-6
10	Abrasion Resistance	≥ 140 mm ³	140 mm ³	IS 13630-12
11	Impact Resistance	0.55 min	0.55 min	IS 13630-14
12	Breaking Strength	<7.5mm700N >7.5mm1300N	< 7.5 mm 700N >7.5 mm 1300N	IS 13630—6
13	Density (g/cc)	2.2	2.2	IS 13630-2
14	Frost Resistance	Frost proof	Frost proof	IS 13630-10
15	Chemical Resistance	Manufacture to state classification.	No damage	IS 13630-7
16	Thermal Shock Resistance	10 Cycle.min.	10 Cycle.min.	IS 13630-5
17	Thermal Expansion	6x10 ⁻⁶ K ⁻¹ max.	6x10 ⁻⁶ K ⁻¹ max.	IS 13630-4
18	Stain Resistance	Class 5 min	Resistance	IS 13630-7
19	Moisture Expansion	0.02 Max	Nil	IS 13630-3

PACKING DETAILS

	SIZE	Pcs./Box	Coverage Area/Box	
	600 x 600 mm	4 pcs.	15.5 / Sq. Feet	1.44 / Mtr ²
DOUBLE CHARGED	800 x 800 mm	3 pcs.	20.64 / Sq. Feet	1.92 / Mtr ²
OHAROLD	600 x 1200 mm	2 pcs.	15.5 / Sq. Feet	1.44 / Mtr ²

PACKING DETAILS

	SIZE	Pcs./Box	Coverage Area/Box	
	600 x 1200 mm	2 pcs.	15.5 / Sq. Feet	1.44 / Mtr ²
FULL BODY	600 x 600 mm (15 mm)	2 pcs.	7.75 / Sq. Feet	0.72 / Mtr ²
	600 x 600 mm	4 pcs.	15.5 / Sq. Feet	1.44 / Mtr ²

PACKING DETAILS

	SIZE	Pcs./Box	Coverage Area/Box	
SOLUBLE SALT	600 x 600 mm	4 pcs.	15.5 / Sq. Feet	1.44 / Mtr ²

General Note: All technical specifications in this catalogue are for premium grade material only.

Disclaimer: VITERO reserves the right to delete & amend either totally, any of the colors, shapes, sizes, reference and other technical specification contained in this catalog at any time. The colors shown in this catalog are purely illustrative and limited to printing process, please refer actual sample before final selection. Shade & size variation is an inherent property of ceramic tiles.

- Colors in the catalogue are as accurate as printing process allows.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow The instructions of the packing box.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because
- there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

OUR OTHER BRANDS



