

MARBLEX

Collection

AN **APARNA** PRODUCT



GVT & PGVT | FULL BODY VITRIFIED TILES
1200 X 1800 | 800 X 2400 | 800 X 3000 mm

Refresh Zindagi



UNIT II

JULY-2025



APARNA ENTERPRISES LIMITED

8-2-293 82/A, 1214, Road No. 60, Jubilee Hills,
Hyderabad - 500 033, Telangana, India.

Mobile: +91 91211 65404 | Toll Free: 1800 121 6229
Email: info@viterotiles.com | www.viterotiles.com



Let's Connect:





About Aparna Enterprises Ltd.

Aparna Enterprises is a leading building materials company and a group company of The Aparna Group. Founded in 1990, Aparna Enterprises is engaged in manufacturing and trading of a wide range of building material products. The company has a diversified product portfolio which includes Ready Mix Concrete, uPVC profiles, uPVC windows and doors, Floor & Wall tiles, Aluminium window & door systems, Exterior facades, Luxury bath spaces and elegant kitchens and Aggregates. Most of these products are available pan India through an extensive dealer network which constitutes more than 350 vendor partners for different brands.

AEL is associated with many leading brands in the construction sector and several landmark projects for over 30 years. The brand has been associated with many government organizations like DRDO, South Central Railway, PWD, CPWD, MES, AAI to name a few.

AEL is globally renowned for setting benchmarks in technology, research, design, and installation. Today, the company is acknowledged as a leader in providing specifiers, contractors and stakeholders the required support with a range of high-quality products manufactured to the highest standards.




About Vitero Tiles

Vitero is one of the leading tile brands in the country that offers wide range of Wall & Floor tiles. Powered with latest technology from SACMI, KEDA and APPEL, the tiles are manufactured at the most sophisticated 1 Million sq ft manufacturing facility in Peddapuram near Kakinada, Andhra Pradesh. The manufacturing facility produces GVT, PGVT and Full Body Vitrified tiles.

The production facility produces 30,000 sq mt. high quality tiles every day. Vitero tiles manufacturing process uses top quality clay imported from Ukraine, Iran, Malaysia, Turkey, along with Feldspar and Clay processed in its own mines. These mines produce Feldspar and Clay of uniform quality & brighter finish, which makes the tile surface look free of micro holes. Use of Nanotechnology makes Vitero Tiles very glossy and stain resistant and provide durable tiles that look new for years.

Vitero tiles material testing lab uses sophisticated machinery for testing raw materials as well as finished products. The lab uses an XRF Machine, Dilatometer, MOR machine, Crazing Resistance Machine, Surface abrasion Machine, Deep abrasion Machine etc. Vitero tiles manufacturing process follows ISO and BIS standards but maintains the value of end product better than both the standards.




INDEX




PGVT

1200x1800mm 01-10




MATT

11-20 1200x1800mm



MULTISURFACE

1200x1800mm 21-46




FULL BODY

47-68 800x2400mm
800x3000mm










THE MARBLEX COLLECTION, a premium range of tiles crafted to bring harmony, style, and long-lasting performance to your spaces. Designed for both modern and timeless aesthetics, this collection offers a curated selection of textures, colors, and finishes that reflect true craftsmanship.

Application Area

THE MARBLEX COLLECTION surfaces are architectural gems that can be used across a spectrum of environments. These tiles can be used for backsplashes, highlights, bathrooms, furniture, exteriors, flooring, wall cladding, and much more – imagination is the key.

 Residential Spaces	 Commercial Spaces	 Malls & Restaurants
 Outdoor	 External Wall Covering	 Public Spaces
 Schools	 Bathrooms	 Kitchens
 Hospitals	 Sport Spaces	 Airports

Distinct Tile Features


 Water Resistance	 Extremely Durable	 Scratch Resistant
 Frost Resistant	 Stain Resistant	 Easy to Clean
 Fire Resistant	 Luxurious Look	 Hygienic Surface

**1200 x
1800^{mm}** | **Polished**
Series

V-ANGEL WHITE




Random




Surface : Polished | Size : 1200 x 1800 mm

V-ANTICA GREY



Random



Surface : Polished | Size : 1200 x 1800 mm

V-ARMANI BEIGE



Random



Surface : Polished | Size : 1200 x 1800 mm

V-ARMANI BIANCO



Random



Surface : Polished | Size : 1200 x 1800 mm

PREVIEW SHOWN
V-ARMANI BIANCO

SIZE
1200 x 1800 mm

FINISH
POLISHED



V-CALACATA GOLD




Random




Surface : Polished | Size : 1200 x 1800 mm

V-CRYSTAL ONYX WHITE



Random



Surface : Polished | Size : 1200 x 1800 mm

PREVIEW SHOWN
V-CALACATA GOLD

SIZE
1200 x 1800 mm

FINISH
POLISHED



V-LASSA BIANCO



Random




Surface : Polished | Size : 1200 x 1800 mm

V-WHITE MARMO




Random




Surface : Polished | Size : 1200 x 1800 mm

V-STATUARIO CARARA



Random




Surface : Polished | Size : 1200 x 1800 mm






1200 x 1800^{mm} | **Matt**
Series

V-CARBON BEIGE



Random



Surface :
Matt | Size :
1200 x 1800 mm

V-CARBON BROWN



Random




Surface :
Matt | Size :
1200 x 1800 mm

V-CARBON GREY



Random




Surface :
Matt | Size :
1200 x 1800 mm

V-CARBON GRISS



Random



Surface :
Matt | Size :
1200 x 1800 mm

PREVIEW SHOWN
V-CARBON BROWN

SIZE
1200 x 1800 mm

FINISH
MATT



V-SANDSTAR BEACH



Random



Surface : | Size :
Matt | **1200 x 1800 mm**

V-SANDSTAR BIANCO



Random



Surface : | Size :
Matt | **1200 x 1800 mm**

PREVIEW SHOWN
V-SANDSTAR BIANCO

SIZE
1200 x 1800 mm

FINISH
MATT



V-SANDSTAR CREAMA



Random



Surface : **Matt** | Size : **1200 x 1800 mm**

V-SANDSTAR GREY




Random




Surface : **Matt** | Size : **1200 x 1800 mm**

V-SANDSTAR GRISS



Random



Surface : **Matt** | Size : **1200 x 1800 mm**



**1200 x
1800^{mm}** | **Multisurface**
Series

V-ALMA BEIGE-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-AMAZON GREY



Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-ARAVALI ONYX



Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-ARAVALI ONYX-L-BLUE



Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-ARKOS BIANCO-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-BRECCIA ROSO-END



Random




Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-BRANDON FOREST




Random




Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-CARNICO GREY



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

PREVIEW SHOWN
V-BRECCIA ROSO-END

SIZE
1200 x 1800 mm

FINISH
POLISHED & MATT
DIGI-MATT & CARVING



V-CARRARA MINT



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-CRYSTALLO-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-CRYSTAL AQUA



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-DYNA NATURAL-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-EMPRADOR GREY



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-GEORGIO BEACH-END




Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-EMPRADOR SILVER



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-GEORGIO GRIS-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

PREVIEW SHOWN
V-EMPRADOR GREY

SIZE
1200 x 1800 mm

FINISH
POLISHED & MATT
DIGI-MATT & CARVING



V-GIMA BUTTER-END



Random




Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-GIMA MINT-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-GLACIER BEACH-END




Random




Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-ICELAND BIANCO



Random



Surface :
Polished | Matt | Digi-Matt | Carving

Size :
1200 x 1800 mm

V-ITALIAN DYNA-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-LENS WHITE



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-MASCIA BIANCO-END




Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-MICHAL ANGGELO



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

PREVIEW SHOWN
V-MICHAL ANGGELO

SIZE
1200 x 1800 mm

FINISH
POLISHED & MATT
DIGI-MATT & CARVING



V-NORDIC SKY-END




Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-OMICRON SKY-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-OMICRON BEIGE-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-PANAMA BEIGE




Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-PARK WHITE-END




Random




Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-STATUARIO LINER-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-ROVER TUAPE-END



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

V-STERLINA NATURAL



Random



Surface :
Polished | Matt | Digi-Matt | Carving | Size :
1200 x 1800 mm

PREVIEW SHOWN
V-STATUARIO LINER-END

SIZE
1200 x 1800 mm

FINISH
POLISHED & MATT
DIGI-MATT & CARVING




800 x 2400  | **800 x 3000**  | **FULL BODY**
Series 


V-GALAXY BLACK



Surfaces :
Matt



Surfaces :
Glossy




V-GALAXY CREMA



Surfaces :
Matt




Surfaces :
Glossy



V-GALAXY ROYAL



Surfaces :
Matt




Surfaces :
Glossy



V-GALAXY WHITE



Surfaces :
Matt



Surfaces :
Glossy




FULL BODY


80 x 240 cm | 80 x 300 cm




V-GRAPHITE BLACK




Surfaces :
Matt




Surfaces :
Glossy



V-PURE WHITE



Surfaces :
Matt



Surfaces :
Glossy



FULL BODY

80 x 240 cm | 80 x 300 cm



PREVIEW SHOWN
V-PURE WHITE

SIZE
800 x 2400 mm &
800 x 3000 mm


FINISH
GLOSSY & MATT




V-SAGA STONE BIANCO



Surfaces :
Matt




Surfaces :
Glossy




V-STONEX CHOCO



Surfaces :
Matt



Surfaces :
Glossy



FULL BODY



PREVIEW SHOWN
V-SAGA STONE BIANCO

SIZE
800 x 2400 mm &
800 x 3000 mm


FINISH
GLOSSY & MATT



V-STONEX DOVE




Surfaces :
Matt




Surfaces :
Glossy




V-SPECTRUM LAKHA RED



Surfaces :
Matt




Surfaces :
Glossy




V-STONEX ROSA



Surfaces :
Matt




Surfaces :
Glossy




V-SAGA STONE HIMALAYA



Surfaces :
Matt



Surfaces :
Glossy



FULL BODY

80 x 240 cm | 80 x 300 cm



PREVIEW SHOWN
V-STONEX ROSA

SIZE
800 x 2400 mm &
800 x 3000 mm

FINISH
GLOSSY & MATT



TECHNICAL SPECIFICATION - GVT/PGVT

SR No.	CHARACTERISTICS	As per IS 15622:2017 B1a	OUR VALUE	METHOD OF TESTING
1	Deviation in Length and Width	± 0.1%	± 0.1%	IS 13630-1
2	Deviation in Thickness	± 5.0%	± 3.0%	IS 13630-1
3	Straightness of Sides	± 0.1%	± 0.1%	IS 13630-1
4	Rectangularity	± 0.1%	± 0.1%	IS 13630-1
5	Surface Flatness	± 0.5%	± 0.1%	IS 13630-1
6	Surface Quality	95% of the tiles shall be free from visible defect.	95% of the tiles shall be free from visible defect.	IS 13630-1
7	Water Absorption	Avg .0.08%ind 0.1% max	Avg 0.08%ind, 0.1% max	IS 13630—2
8	Mohs Hardness	≥ 5	>5 (applicable for matt finish)	IS 13630-13
9	Modules of Rupture	≥35 N /mm ²	> 40 N /mm ²	IS 13630-6
10	Abrasion Resistance	Class 2 min	Class 2 min	IS 13630-12
11	Impact Resistance	0.55 min	0.55 min	IS 13630-14
12	Breaking Strength	>1300 N	>1300 N	IS 13630—6
13	Density (g/cc)	2.2	2.2	IS 13630-2
14	Frost Resistance	Frost proof	Frost proof	IS 13630-10
15	Chemical Resistance	Manufacture to state classification.	No damage	IS 13630-7
16	Thermal Shock Resistance	10 Cycle.min.	10 Cycle.min.	IS 13630-5
17	Thermal Expansion	6x10 ⁻⁶ K ⁻¹ max.	6x10 ⁻⁶ K ⁻¹ max.	IS 13630-4
18	Stain Resistance	Class 5 min	Class 1	IS 13630-7
19	Moisture Expansion	0.02 Max	Nil	IS 13630-3

PACKING DETAILS

Size	No. of Pcs./Box	Coverage Area/Box
1200x1800mm	2Pcs.	46.50 Sq. Feet
1200x1800mm (15 mm)	1 pcs.	23.25 Sq. Feet

General Note: All technical specifications in this catalogue are for premium grade material only.

Disclaimer: VITERO reserves the right to delete & amend either totally, any of the colors, shapes, sizes, reference and other technical specification contained in this catalog at any time. The colors shown in this catalog are purely illustrative and limited to printing process, please refer actual sample before final selection. Shade & size variation is an inherent property of ceramic tiles.

- Colors in the catalogue are as accurate as printing process allows.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow The instructions of the packing box.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

TECHNICAL SPECIFICATION - FULL BODY

SR No.	CHARACTERISTICS	As per IS 15622:2017 B1a	OUR VALUE	METHOD OF TESTING
1	Deviation in Length and Width	± 0.1%	± 0.1%	IS 13630-1
2	Deviation in Thickness	± 5.0%	± 3.0%	IS 13630-1
3	Straightness of Sides	± 0.1%	± 0.1%	IS 13630-1
4	Rectangularity	± 0.1%	± 0.1%	IS 13630-1
5	Surface Flatness	± 0.5%	± 0.1%	IS 13630-1
6	Surface Quality	95% of the tiles shall be free from visible defect.	95% of the tiles shall be free from visible defect.	IS 13630-1
7	Water Absorption	Avg .0.08%ind 0.1% max	Avg 0.08%ind, 0.1% max	IS 13630—2
8	Mohs Hardness	≥ 5	>5	IS 13630-13
9	Modules of Rupture	≥35 N /mm ²	(15 mm thickness) 60N/mm ²	IS 13630-6
10	Abrasion Resistance	≥ 140 mm ³	≥ 140 mm ³	IS 13630-12
11	Impact Resistance	0.55 min	0.55 min	IS 13630-14
12	Breaking Strength	>1300 N	>5000 N	IS 13630—6
13	Density (g/cc)	2.2	2.2	IS 13630-2
14	Frost Resistance	Frost proof	Frost proof	IS 13630-10
15	Chemical Resistance	Manufacture to state classification.	No damage	IS 13630-7
16	Thermal Shock Resistance	10 Cycle.min.	10 Cycle.min.	IS 13630-5
17	Thermal Expansion	6x10 ⁻⁶ K ⁻¹ max.	6x10 ⁻⁶ K ⁻¹ max.	IS 13630-4
18	Stain Resistance	Class 5 min	Resistance	IS 13630-7
19	Moisture Expansion	0.02 Max	Nil	IS 13630-3

PACKING DETAILS

Size (Thickness 15 mm)	No. of Pcs./Box	Coverage Area/Box
800x2400mm	1 Pcs.	20.67 Sq. Feet
800x3000mm	1 pcs.	25.83 Sq. Feet

General Note: All technical specifications in this catalogue are for premium grade material only.

Disclaimer: VITERO reserves the right to delete & amend either totally, any of the colors, shapes, sizes, reference and other technical specification contained in this catalog at any time. The colors shown in this catalog are purely illustrative and limited to printing process, please refer actual sample before final selection. Shade & size variation is an inherent property of ceramic tiles.

- Colors in the catalogue are as accurate as printing process allows.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow The instructions of the packing box.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

OUR OTHER BRANDS



Note: